

In the Claims:

1. (Currently Amended) A method of authorizing communications comprising:
 - a) receiving a request for authorization to establish a communication with a destination terminal from an origination terminal;
 - b) generating authorization indicia for the communication, the authorization indicia configured to enable reservation of resources for the communication; and
 - c) initially sending the authorization indicia to at least one of the originating and destination terminals to facilitate reservation of resources for the communication, wherein the at least one of the originating and destination terminals receiving the authorization indicia will subsequently send the authorization indicia to at least one network element to reserve resources for at least a portion of the communication.
2. (Original) The method of claim 1 wherein the sending step comprises sending the authorization indicia to the originating and destination terminals to facilitate reservation of resources for the communication, wherein the originating and destination terminals receiving the authorization indicia will send the authorization to corresponding network elements forming part of the communication path to reserve resources for portions of the communication.
3. (Original) The method of claim 1 further comprising verifying the user of the originating terminal is capable of receiving services providing the communication.
4. (Original) The method of claim 1 wherein the step of generating authorization indicia comprises authenticating the authorization indicia for use by the at least one network element.
5. (Currently Amended) A method of authorizing communications comprising:
 - a) receiving a request from ~~at least one of an originating terminal and a destination terminal~~ to reserve resources for a communication between ~~[[the]]~~ an originating terminal and the destination terminal, the request including authorization indicia

provided to the originating terminal by a service provider and configured to enable reservation of resources for the communication; and

- b) reserving resources for at least a portion of the communication based on the authorization indicia.

6. (Currently Amended) The method of claim 5 wherein ~~the receiving step comprises receiving requests from both the originating and destination terminals and the reserving step comprises reserving resources for the communication at a first network element associated with the originating terminal using the request received from the originating terminal and reserving resources for the communication at a second network element associated with the destination terminal using the request received from the destination terminal.~~

7. (Original) The method of claim 6 further comprising provisioning for resources for the communication over a network between the first and second network elements based on the authorization indicia.

8. (Currently Amended) The method of claim 5 further comprising establishing a second communication from the originating destination terminal to the original destination terminal and reserving resources for at least a portion of the second communication based on the authorization indicia.

9. (Original) A terminal for effecting communications comprising a network interface and a control system associated with said network interface, said control system adapted to:

- a) send a request to establish a communication with a remote terminal over a network to a service provider;
- b) receive authorization indicia configured to enable reservation of resources for the communication from the communication server in response to the request to establish the communication; and
- c) send a request associated with the authorization indicia to a network element to reserve resources for the communication wherein the authorization indicia is

configured to enable the network element to reserve sufficient resources for at least a portion of the communication.

10. (Original) The terminal of claim 9 wherein said control system is further adapted to effect the communication over a communication path having the reserved resources with the destination terminal via the network element.

11. (Original) The terminal of claim 10 wherein said control system is adapted to effect a second communication over a second communication path with the destination terminal via the network element.

12. (Original) The terminal of claim 9 wherein said terminal is a cable terminal and said control system facilitates at least one of the group consisting of receiving or transmitting audio and video via the communication.

13. (Original) The terminal of claim 9 wherein said terminal is a telephony terminal and said control system facilitates at least one of the group consisting of receiving or transmitting audio via the communication.

14. (Original) The terminal of claim 9 wherein said terminal is a receiver and said control system facilitates at least one of the group consisting of receiving at least one of the group consisting of audio and video via the communication.

15-19. (Canceled).

20. (Currently Amended) A communication server for facilitating communications, said communication server comprising a network interface and a control system adapted to:

- a) receive a request for authorization to establish a communication with a destination terminal from an origination terminal;
- b) generate authorization indicia for the communication, the authorization indicia configured to enable reservation of resources for the communication; and

- c) initially send the authorization indicia to at least one of the originating and destination terminals to facilitate reservation of resources for the communication, wherein the at least one of the originating and destination terminals receiving the authorization indicia will subsequently send the authorization indicia to at least one network element to reserve resources for at least a portion of the communication.

21. (Original) The communication server of claim 20 wherein said control system is further adapted to send the authorization indicia to the originating and destination terminals to facilitate reservation of resources for the communication, wherein the originating and destination terminals receiving the authorization indicia will send the authorization to corresponding network elements forming part of the communication path to reserve resources for portions of the communication.

22. (Original) The communication server of claim 20 wherein said control system is further adapted to verify the user of the originating terminal is capable of receiving services providing the communication.

23. (Original) The system of claim 20 wherein said control system is further adapted to authenticate the authorization indicia for use by the at least one network element.

24. (Original) A policy server for approving resource reservation for a router in a network, said policy server comprising a network interface and a control system associated with said network interface, said control system adapted to:

- a) receive a request to approve reservation of resources for a communication from a router, the request including authorization indicia configured to enable reservation of resources for the communication;
- b) determine whether to approve the reservation of resources for the communication based on the authorization indicia; and
- c) send a response to the request to the router indicating whether the request for the reservation of resources was approved.

25. (Original) The policy server of claim 24 wherein said control system is further adapted to communicate with a service provider to confirm the reservation of resources is appropriate based on the authorization indicia.

26. (Original) The policy server of claim 24 wherein said control system is further adapted to communicate with an authentication service to confirm the authorization indicia is authentic.

27. (Original) A computer readable medium comprising software for instructing a computer to:

- a) send a request to establish a communication with a remote terminal over a network to a service provider;
- b) receive authorization indicia configured to enable reservation of resources for the communication from the communication server in response to the request to establish the communication; and
- c) send a request associated with the authorization indicia to a network element to reserve resources for the communication wherein the authorization indicia is configured to enable the network element to reserve sufficient resources for at least a portion of the communication.

28. (Original) The computer readable medium of claim 27 comprising further instructions to effect the communication over a communication path having the reserved resources with the destination terminal via the network element.

29. (Original) The computer readable media of 28 comprising further instructions to effect a second communication over a second communication path with the destination terminal via the network element.

30-32. (Canceled).

33. (Currently Amended) A computer readable medium comprising software for instructing a computer to:

- a) receive a request for authorization to establish a communication with a destination terminal from an origination terminal;
- b) generate authorization indicia for the communication, the authorization indicia configured to enable reservation of resources for the communication; and
- c) initially send the authorization indicia to at least one of the originating and destination terminals to facilitate reservation of resources for the communication, wherein the at least one of the originating and destination terminals receiving the authorization indicia will subsequently send the authorization indicia to at least one network element to reserve resources for at least a portion of the communication.

34. (Original) The computer readable medium of claim 33 comprising further instructions to send the authorization indicia to the originating and destination terminals to facilitate reservation of resources for the communication, wherein the originating and destination terminals receiving the authorization indicia will send the authorization to corresponding network elements forming part of the communication path to reserve resources for portions of the communication.

35. (Original) The computer readable medium of claim 33 comprising further instructions to verify the user of the originating terminal is capable of receiving services providing the communication.

36. (Original) The computer readable medium of claim 33 comprising further instructions to authenticate the authorization indicia for use by the at least one network element.